

Index

A

- abrasive resistance 25
- absorbed water 242
- absorption coefficient 313
- accelerator for hardening 43
- acid corrosion 58
- acrylic sealing paste 282
- active blended materials 63
- additives 291
- adhesion stress 155
- adiabatic diaphragm for windows 310
- adiabator 304
- advanced petrochemical ceramic tile 325
- advanced quality steel 209
- aerated concrete 308
- ageing 218
- ageing sensitivity 218
- aggregate 81
- aging 258
- air entraining admixture 94
- air hardening binding materials 29
- alkali aggregate 92
- alkali content 57
- alkali corrosion 61
- alkali-aggregate reaction 116
- alloy steel 209
- alloying 235
- aluminate expansive cement 75
- aluminoferrite expansive cement 75
- aluminous cement 72
- aluminum-alloy corrugated tile 204
- anhydrite cement 31
- annual ring 240
- anti-compression fixture 367
- anti-fracture machine 367
- anti-freeze 96
- APP modified waterproof asphalt membranes 270
- apparent density 11
- appearance quality 173
- architectural waterproof asphalt jointing ointment 266
- artificial ageing 218
- artificial black marble 325
- artificial drying 247
- artificial stones 323
- artificial weathering accelerate aging 269
- artificial wood 250
- artistic gypsum products 35
- artistic stone 325
- asphalt 253
- asphalt-bonded glass blanket 307
- asphalt-bonded glass wool board 307
- assigned yield point 210
- Atactic Polypropylene (APP) modified asphalt 264
- atomic crystal 9
- autoclaved aerated concrete blocks 183
- autoclaved lime-sand bricks 180
- average strength 117
- axial compressive strength 103

B

- backing plate 395
- bagasse board 194
- bark 240
- bark pockets 242
- baseboards 337
- bend strength 21
- bending angle 212
- bending plate 420
- bending strength 327

bending-heart diameter 212
 Bessemer steel (converter steel) 207
 binding materials 29
 biological actions 26
 blended materials 63
 block board 251
 breaking point 259
 breaking strength 269
 brick caliper 398
 brittleness 24
 BSA acrylic acid outside wall paint 333
 building gypsum 29
 building hydrated lime powder 37
 building material 1
 building material standards 4
 building mortar 150
 building quicklime powder 37
 bulk density 12

C

calcium quicklime 36
 carbon structural steel 219
 carbonization 115
 carbonization 36
 carpet 341
 cell wall 240
 cement 46
 cement gel sand mixer with a planet-like trajectory 367
 cement particleboards 191
 cement paste 50
 cement wood boards 190
 cement-based artificial stone 323
 cementite 215
 ceramic murals 329
 ceramic products 325
 ceramic split tile 329
 chemical actions 26
 chemical corrosion 234
 chemical resistance 327
 chemical shrinkage 108
 chip-axe slate 321
 chlorinated polyethylene 274
 chlorinated polyethylene-rubber waterproof coiled material 273
 chlorinated polyvinyl chloride paint 334
 chlorinated rubber exterior wall paint 334
 coarse aggregate 81
 coarse grinding slate 322
 coarseness 86
 coefficient of thermal conductivity 18
 coefficient of variation 119
 cold bending 212
 cold brittleness 217
 cold-drawn hot-rolled bar 225
 cold-drawn low-carbon steel wire 227
 cold-rolled ribbed bar 225
 cold-rolled-twisted bar 230
 cold-working steel 209
 color 25
 colored coated steel sheet 340
 colored profiled steel sheet 340
 colored stainless steel 340
 colorful interior wall paint 335
 colorful Portland cement 76
 common flat glass 330
 common steel 209
 common wallpaper 300
 components 253
 composite material 1
 composite Portland cement 70
 compound artificial stone 323
 compressive strength 21
 compressive strength of concrete cube 103
 compressive strength of rock 91
 concrete 81
 concrete admixture 93
 concrete sandwich panel 195
 concrete tiles 201
 confected strength of concrete 120
 construction mix proportion 133
 construction steel 206

426 Building materials in civil engineering

continuous size fraction 88
cork board 310
corrosion-resistant mortar 167
creep 112
creep rupture strength 247
cross tie 250
crushing index of crushed stone and gravel 91
crystal 9
crystallization 36
curves 241

D

dead knots 241
decay 241
decorative aluminum alloy plate 339
decorative materials 25
decorative mortar 164
decorative plaster plate 34
deformability 155
dense structure 8
density 10
determinator for the expansion value of Le Chatelier 365
determinator of softening point 412
device for the cold bending test 408
diatomite 308
dimensional measurement 398
disadvantage (defect) 241
disorder grains 242
dry shrinkage and wet swelling 109
ductility device 410
durability 26
durable exterior wall paint 334
duramen 239

E

elastic deformation 23
elastic modulus 111
elastic stage 210
elasticity 23

electric steel 207
electrochemical corrosion 234
electrochemical protection 235
elongation 212
elongation 257
elongation under the maximum pull strength 269
EPDM rubber waterproof membrane 271
EPS lightweight board 203
equilibrium water content 242
eutectoid steel 216
evaporation loss percentage 258
expanded perlite 307
expanded perlite products 307
expanded vermiculite 307
expanded vermiculite products 307
expansion agent 96
expansive cement 75
extreme cold and heat resistance 327

F

fatigue strength 211
ferrite 215
fiber reinforced cement tile 201
fiber reinforced concrete 144
fiber saturation point 242
fiberboard 250
fiberboard 251
fiberglass asphalt tile 202
fiberglass corrugated tile 202
fiber-reinforced cement board (TK Board) 190
fibrous structure 8
figured glass 332
fill rate 13
fine aggregate 81
fineness 54
fineness modulus 87
fired bricks 170
fired common bricks 170
fired hollow bricks 175
fired porous bricks 175

fired tiles 200
 fire-resistant limit 232
 fire-retardant materials 21
 flame resistance 20
 flammable materials 21
 flash point 259
 flash setting admixture 96
 flexibility under low temperature 269
 flexible bar 420
 flexure testing machine 367
 floor paint 336
 floor tile 328
 fly ash block 185
 fly ash bricks 181
 foam glass 309
 foamed concrete 308
 foamed plastics 309
 foamed wallpaper 300
 free water 242
 freezing liquid 420
 frost resistance 18
 frosted glass 332
 frost-resistant concrete 141
 frost-resistant level 18
 fully-killed steel 208
 functional material 2

G

gauge length 212
 gel structure 256
 glass fiber reinforced plastics 302
 glass mosaic 332
 glass wool 306
 glass-fiber reinforcement 267
 glazed brick 327
 glazed earthenware products 329
 gradation 86
 granular structure 9
 GRC hollow lightweight wallboards 189
 green building materials 3
 ground asphaltene 255
 guarantee rate of strength 119

gypsum fiber boards 192
 gypsum hollow slabs 193
 gypsum particleboard 193
 gypsum plank 34

H

hard steel 210
 hardening 49
 hardening accelerator 95
 hardness 24
 hards board 195
 heat insulator 304
 heat resistance 269
 heat-absorbing glass 331
 heat-insulating glass 331
 heat-insulating materials 304
 heat-reflecting glass 331
 heat-tempering bar 227
 high-strength concrete 134
 high-strength gypsum 30
 high-temperature-calcined gypsum 31
 hollow blocks (hollow bricks) 175
 hollow glass 331
 hollow glass brick 332
 hot brittleness 217
 hot-rolled reinforced bar 224
 hot-working steel 208
 hydrated lime 36
 hydration 48
 hydraulic binding materials 29
 hydrophilicity 14
 hydrophobicity 14
 hygroscopicity 16
 hyper-eutectoid steel 216
 hypo-eutectoid steel 216

I

ignition point 259
 impermeability 17
 impermeability 269
 impermeable level 17

428 Building materials in civil engineering

imported stones 322
inactive blended materials 63
industry standards 4
inorganic binding materials 29
inorganic heat-insulating materials 306
inorganic material 1
insulating mortar 165
intergrown knots 241
international standards 5
ionic crystal 10
irretrievable deformation 210

J

jar 378
JH80-1 inorganic exterior wall paint 334
JH80-2 inorganic exterior wall paint 334

K

knots 241

L

lab mix proportion 132
laburnum 239
laminated glass 331
laminated or layered structure 9
large steel mesh cement corrugated tile 202
laser glass 332
Le Chatelier needle 364
lean-alloy steel 209
Lec's density bottle 344
light-penetrable marble 325
lightweight aggregate concrete 135
lightweight concrete 135
lightweight sandwich board 197
lime 35
lime cream 39
lime paste 39
linear expansion coefficient 20
linetype 26
liquid soluble glass 43

log 249
longitudinal splits 242
low carbon steel 210
low-alloy high-strength structural steel 222
lower yield point 210
low-temperature controller 420
lumen 240

M

machine planned slate 322
macroporous concrete 137
macro-structure 8
magnesia 40
magnesia quicklime 36
masonry mortar 156
mass concrete 143
mass method 131
maximum particle diameter 89
maximum water-cement ratio 123
measurement of bend 400
measurement of convex impurity 400
measurement of crack length 400
measurement of failure face 400
measurement of failure size 399
mechanical compositions 7
meso-structure 9
metal crystal 10
metal finishing 339
micro foam agent 153
micro-porous sodium silicate 309
micro-porous structure 8
microstructure 9
middle-sized concrete hollow blocks 187
mineral compositions 7
mineral cotton 307
mineral filler modification 263
mineral wool board 307
mineral wool felt 307
minimum cement quantity 131
mixtures 152
mobility (consistency) 153

modified asphalt 263
 module of soluble glass 43
 molecular crystal 10
 mortar consistometer 393
 mortar layer degree tester 394
 mosaic tile 328

N

national standards 4
 natural ageing 218
 natural drying 247
 natural granite 321
 natural marble 320
 natural stone 320
 necking stage 210
 needle penetration ratio 258
 negative pressure sieve analysis device
 356
 non-alloy steel 209
 non-crystal 10
 non-fired bricks 170
 non-flammable materials 21
 normal consistency detector 359

O

oil 254
 ordinary Portland cement 65
 ordinary surface mortar 161
 organic binding materials 29
 organic heat-insulating materials 309
 organic material 1
 organic silicon resin (SI) 295
 oven 372
 over-burnt lime 35
 oxychloride 251

P

paint 333
 paper gypsum boards 191
 particle board 251
 patterned wood floor 337

peeling micro veneer 338
 penetration 256
 penetration index 259
 penetrometer 409
 perforated plate 310
 perlite 215
 permeability coefficient 17
 petroleum asphalt 253
 petroleum asphalt polyurethane waterproof
 paint 275
 phenolic resin (PF) 295
 physical actions 26
 pipe shroud 307
 pith 240
 plain bumper for sample molds of cement
 gel sand 367
 plastering gypsum 33
 plastic 289
 plastic deformation 23
 plastic doors and windows 298
 plastic film 302
 plastic floor 300
 plastic pipes 298
 plastic veneer 302
 plastic wallpaper 299
 plasticity 23
 polyurethane sealing paste 283
 plywood 250
 polished slate 322
 polyaddition resin 290
 polycondensate resin 290
 polyester reinforcement 267
 polyester resin (PR) 294
 polyester-based artificial stone 324
 polyethylene plastic (PE) 293
 polyethylene-ethylene propylene
 terpolymer 274
 polymer cement concrete 140
 polymer cement-based waterproof paint
 279
 polymer modification 264
 polymer modified asphalt waterproof

430 Building materials in civil engineering

membrane 267
polymer modified asphalt waterproof paint 274
polymer mortar 168
polymethyl methacrylate (PMMA) 294
polypropylene plastic (pp) 294
polystyrene plastic (PS) 294
polysulfide sealing compound 284
polyurethane acrylic acid exterior wall paint 334
polyurethane waterproof paint 275
polyvinyl chloride plastic (PVC) 293
porcelain products 326
porosity 12
porous concrete 136
porous structure 8
Portland blast furnace cement 66
Portland cement 46
Portland cement clinker 47
Portland fly-ash cement 70
Portland pozzolana cement 69
preliminary mix proportion 123
pre-stressed concrete hollow wallboards 189
pre-stressed steel wire for concrete 228
primitive streak 249
product standards 4
protective film 235
pull strength 269
pumping concrete 142
PVC corrugated tile 202
PVC waterproof plastic coiled material 272

Q

quality steel 209
quicklime 35
quicklime residue determinator 353

R

radial section 239

radiation-proof mortar 168
radius splits 242
raw material 47
reclaimed rubber modified asphalt 264
reduction of cross-section 212
regenerated rubber modified asphalt waterproof paint 274
regional standards 4
reinforcement stage 210
residual deformation 210
resin 254
resin-based artificial stone 323
rice hull board 194
rigid polyurethane sandwich board 203
rimmed steel 208
ring splits 242
rubber-resin blending modified asphalt 264
rust-resistant agent 97

S

safety glass 330
salt corrosion 60
sand percentage 100
sand plastic exterior wall paint 334
sanitary ceramics 329
SBS modified asphalt waterproof membrane 267
SBS rubber asphalt waterproof paint 274
scars 241
segments of samples 414
self-stressing cement 76
semi-killed steel 208
set retarder 95
setting 49
setting time 55
shear strength 21
shifting method 407
shotcrete 144
Siemens-Martin steel 207
sieve shaker 372
silicate expansive cement 75

- silicon rubber waterproof paint 277
 - silicon-copper sealing paste 286
 - single size fraction 88
 - sintered artificial stone 324
 - size deviation 173
 - sizes and quantities of the samples of
 - coiled materials 414
 - slag bricks 182
 - slump 98
 - slump cone 384
 - small-sized concrete hollow blocks 186
 - softening coefficient 16
 - softening point 257
 - soft-water corrosion 58
 - sol structure 255
 - sol-gel structure 256
 - solid soluble glass 43
 - solidity 12
 - solubility 259
 - soluble glass 42
 - soluble substance content 269
 - solvent acrylic-acid outside wall paint
 - 333
 - solvent interior wall paint 335
 - sound-absorbing mortar 167
 - sound-insulating 315
 - soundness 55
 - special mortar 165
 - special wallpaper 300
 - specific absorption of quality 15
 - specific absorption of volume 15
 - specific heat 19
 - specific strength 23
 - splits 242
 - sprayed glass 332
 - sprung wood 240
 - stability of asphalt in atmosphere 258
 - stabilization 36
 - stainless steel plate 340
 - standard deviation 118
 - standard water content 245
 - static strength 21
 - steel 206
 - steel strain 228
 - stoneware products 326
 - straw board 193
 - strength 21
 - strength grade 21
 - strip wooden floor 336
 - structural material 2
 - Styrene-butadiene-styrene (SBS) modified
 - asphalt 264
 - sulphoaluminate expansive cement 76
 - summer wood 240
 - surface mortar 161
 - swan timber 249
 - symphony paint 336
 - synthetic resin 289
 - synthetic resin emulsion interior wall paint
 - (emulsion paint) 335
 - synthetic polymer waterproof membrane
 - 271
- T**
- Taibai wallboard 196
 - tamping rod 384
 - tangential section 239
 - tapestry 341
 - temperature deformation 108
 - temperature sensitivity 257
 - tensile strength 21
 - terrazzo tile of imitation granite 324
 - test stand of heat resistance of coiled
 - material 419
 - testing mold 388
 - texture 25
 - thermal capacity 19
 - thermal conductivity 18
 - thermal deformation 20
 - thermoplastic plastic 292
 - thermoplastic resin 290
 - thermosetting plastic 292
 - thermosetting resin 290
 - thickness of cement paste 401

432 Building materials in civil engineering

timber lattice 338
torn specimen 422
toughened glass 330
toughness (impact toughness) 24
transverse section 239
trial mixing 159
trial strength of mortar 157
twice grinding and once sintering 47

U

ultimate tensile strength (tensile strength)
211
under-burnt lime 35
unit water consumption 122
upper yield point 210

V

vebe consistometer 386
vebe consistometer 98
vicat apparatus 358
viscosity 256
viscosity degree 257
voidage 13
volume method 131
volumetric flask 373

W

wall blocks 182
wall bricks 170
wall cloth 341
warp 243
water absorption 14
water content (moisture content) 16
water emulsion type chloroprene rubber
asphalt waterproof paint 274
water resistance 16
water retention (layering degree) 154
water-cement ratio 122

waterproof apparatus 417
waterproof asphalt paint 265
waterproof bending material 253
waterproof concrete 137
waterproof materials 253
waterproof membrane 253
waterproof mortar 163
waterproof ointment 254
waterproof paint 253
waterproof property 256
waterproof synthetic polymer paint 274
water-reducing agent 93
water-soluble interior wall paint 335
weathering resistance 174
weldability 219
welding 219
wet swelling and dry shrinking 243
white Portland cement 76
wired glass 331
wood 238
wood decorative line (wood line) 338
wood preservation 248
workability 97
worm holes 241

X

xylem 240

Y

yield ratio 211
yield stage 210
yield strength (yield limit) 209

Z

ZNF-II plastering gypsum polystyrene
board 197
ZWD-III polystyrene board with internal-
large framework 197