

Keyword Index

“n” after a page number indicates notes

- Absorption Coefficient 166, 169, 170–3, 175, 185, 187–9, 199, 215
- acclimatization 25
- acoustic ceilings 173
- active solar systems 70, 72–3, 79
- activity 16, 22–5, 28, 30, 31, 103, 159, 181–3, 228, 235
- adaptation level 90, 93, 95, 97–8, 112–13, 115
- adhesives 232, 258n
- AEC (Architecture, Engineering and Construction) 242
- age 24–6, 33, 157–8, 160, 186, 215, 221, 225–8, 231–2, 233, 235, 253
- agriculture 13, 46, 225, 250
- air cavity 40, 56–9, 66, 171, 173–4, 193, 211
- air changes 48–9, 59
- air movement 16, 20, 23–4, 26–31, 36–7, 45, 52, 54, 64, 149, 180, 214, 231, 243–4
- air pressure 16, 169, 219
- air quality 229, 232, 244
- airborne noise 148, 198, 208–10, 217
- airports 159, 211, 220, 223
- altitude 20, 37–9, 41–3, 45, 77, 110–11, 116
- aluminum foil 37
- American Institute of Architects (AIA) 238, 240
- American National Standards Institute (ANSI) 176
- American Society for Testing and Materials (ASTM) 207–8
- annoyance 16, 159–60, 176, 180–3, 196–7, 214–15, 220, 223
- apartments 101, 197, 213
- Apothecaries’ measures 14
- Apothecaries’ weights 14
- Apparent Brightness Theory 90
- Arab-Israeli conflict 226, 231
- Aral Sea 250
- arithmetic mean 6, 155
- artificial lighting 19, 51, 102, 122, 125, 127, 129, 131, 133, 135–7, 139, 141, 143, 145, 246
- artificial sky dome 113
- audience 168–9, 184–6, 188–92, 194
- auditoria 169, 184
- Audubon House 239
- Australia 34, 160, 192–5, 220, 252–3
- background noise 17, 159–65, 175–8, 180–3, 198, 208, 213, 220
- ballast 127–8, 133–5
- bearing or azimuth 42
- Beethoven Halle Bonn (Germany) 189
- black body 1, 17–18, 28, 81, 123, 127–8
- blackwater 251–2
- British Research Station 116, 121
- British Thermal Unit (BTU) 258n
- broadcasting studios 178
- Bruntland Report 238, 257n
- building codes 48, 60, 197, 231, 240, 242, 244, 248
- Building Design and Construction (BDC) 238
- building envelope 35–7, 54–60, 62–6, 70, 72, 231, 243–4, 256
- Building-Related Illness (BRI) 232
- carbon content 239–240
- ceiling height 23, 41, 191–2
- cellulose 210, 237
- central field 96
- chemoluminescence 135
- chillers 237, 248
- cholera 250
- chromaphores 95
- churches 178, 191
- climate 20, 35–37, 45, 55, 59–61, 64–5, 75, 237, 243–4, 253
- climate zones 60
- closed-loop material 230, 253, 257
- clothing 21, 23–4, 27–31, 34, 169, 185
- Club of Rome 237
- coefficient of variation 9–10

- coffers 139–40
- coincidence effect 204–5
- color 18–19, 53, 83–5, 87–91, 93, 95–7, 99, 101, 103–4, 106–9, 123–5, 127–30, 132–4, 136, 143, 146
- color temperature 18–19, 107, 123, 127–9, 146
- comfort 17, 20–34, 51, 54, 59, 63, 73, 96, 98, 114, 125, 160, 180, 214, 242, 244, 246, 249
- comfort zone 30–1, 34, 249
- Commission Internationale de l’Eclairage (CIE)
 - color notation 108–9, 111, 116–17, 124
- compact fluorescent 134–5
- composting 230, 252
- computer 41, 43, 60, 113, 123–4, 218, 227–9, 256
- computer-aided design (CAD) 43
- concert halls 169, 178, 185, 187, 189–91
- condensation 61, 63–4, 232
- condominiums 197, 213, 220
- conduction 18, 20, 32, 38, 52, 61, 231
- conference rooms 177–8
- confidence limits 10, 12
- Conseil International duBatiment (CIB) 238
- Constant Glare Curve 102–3
- construction sites 197, 253
- convection 20, 22–3, 32, 38, 52–3, 55, 71, 73, 231
- cooling 21, 24, 34–6, 38, 40, 45–8, 50–2, 71, 73, 75, 79–82, 148, 216, 231, 243, 247–9
- cornices 140
- courtrooms 178
- coves 139–40
- critical frequency 173, 204–5, 213
- cross-ventilation 48, 80–2, 180, 243

- Damage Risk Criteria 160
- dash pot 223
- data 4–6, 16, 27–8, 45–6, 60–1, 108, 123, 158, 223, 236–7, 241, 243–4, 253–5, 257
- daylight 39, 45, 50–1, 81–3, 102, 105–7, 109, 111–16, 119–23, 125, 130, 145–6, 232, 239, 242–3, 246–7
- Daylight Factor 114–16, 120–2, 145
- daylighting 38, 51, 109, 125, 231, 244, 246–7
- declination 42
- deconstruction 232–3, 255–6
- decoupled 205–6
- deep body temperature 21, 24
- Degree Days 59, 243
- dehumidification 23, 232
- demolition 229
- dermatitis 23
- descriptive statistics 4
- desiccant 73, 249
- detergents 242

- dew point 27, 63–4
- diet 25, 231
- diffraction 85, 166, 169
- DIN 164–165
- direct glare 100–2
- direct ties 206
- disability glare 17, 100–3, 105, 122
- discharge lamps 125, 127–9, 131–4
- discomfort glare 100, 102–3, 146
- Discomfort Glare Constant (DGC) 103
- discontinuous construction 190, 206, 209, 211
- diurnal temperature 22, 35, 62, 244
- dormitories 101
- dry bulb temperature 27, 29–30, 214
- drycleaners 245
- dual waste-pipe 252
- dual-flush toilets 238, 252
- ducts 61, 70–2, 74, 136, 190, 209, 214–8, 223, 249
- dysentery 250

- ear 147, 149, 154–62, 164, 175, 184, 186–7, 195, 198, 222
- ear drum 157
- ears 149, 160, 164
- Earth 13, 41–2, 77, 84, 105, 225, 229–30, 236–7, 249, 258n
- ecology 234
- effective temperature 27–30
- efficacy 127–8, 133, 135, 247, 258n
- electric motors 247–8
- electricity 50, 60, 71, 87, 112, 125–6, 228, 233, 241, 246–7, 255
- electroluminescence 247
- embodied energy 227, 234, 236–40, 253–5, 257–8
- emissivity 40, 54, 246
- energy conservation 33, 44, 50, 60, 83, 106, 123, 134, 140, 227, 231, 233, 238, 243, 245, 250, 252
- energy-neutral 242, 244
- equations 1–4, 9, 42, 58, 76, 78, 110, 142, 150
- equator 41, 53
- equinox 41–42
- equivalent temperature 28–30, 259
- Error Law 6–7
- eupathoscope 28
- European Economic Union (EEU) 197
- European Environmental Agency (EEA) 236, 260
- evaporation 20, 22–3, 30, 32, 36, 129–30, 250
- extraterrestrial 229–30
- eye 83–4, 87–91, 93, 95, 97–102, 107–9, 114, 127, 136–7, 247

- fans 71, 74, 148, 198, 215–16, 218, 237, 248
 flanking paths 198, 202, 213
 floating floors 209
 fluid-supported structure 78, 88–9
 fluorescent 113, 125, 133–7, 142–3, 247
 flux 91–3, 101–2, 127, 137, 141–2, 145, 258n
 fly wire screen 36
 fossil fuel 50–1, 60, 69, 105, 232, 235, 255
 freshwater 230–2, 234, 238, 241, 250–1
- Ganges River 250
 geothermal 51, 69
 glare 17, 25, 44–5, 85, 90, 98, 100–3, 105, 109, 114,
 116, 122–3, 137, 140, 145–6, 232, 239, 246
 Glare Index 103
 glass 14–15, 17, 23, 37–40, 44, 61–2, 64–6, 71, 80,
 84–5, 102, 115–16, 121–3, 135, 194, 199, 205–6, 213,
 217, 222, 236, 254, 258n
 globe-thermometer 28–9
 graywater 227, 230, 251–3
 green buildings 238–9
 greenhouse effect 38, 71, 79
 ground-coupling 249
 groundwater 249, 251
- Haas effect 186
 health 25, 34, 48, 63, 157, 159, 196–7, 225, 231–3,
 239–40, 245, 247, 250, 258n
 health club 245
 hearing 83, 149–50, 156–60, 163, 165, 176, 178,
 181–2, 196–7, 219
 Hearing Conservation Criteria 160
 hearing loss 158, 160
 heart rate 17, 26
 heat capacity 34, 36, 52, 59, 61, 66–7, 72–3, 76, 80, 249
 heat stratification 71, 73–4, 245
 heat stroke 33
 Helmholtz resonator 174
 High Intensity Discharge (HID) 129, 131
 high pressure sodium 133
 high-performance buildings 230, 237, 239, 242, 251,
 253
 home 36, 50, 62, 225, 227–8, 232, 239, 257n
 hot water 24, 31, 51, 58, 70–1, 73–5, 77, 215–16, 243,
 245–6, 252
 human body 20–2, 25–6, 29–30, 45, 54
 humidity 16, 23, 26–31, 33–4, 36, 45, 64, 73, 163–4,
 185, 197, 214, 216, 228–9, 243–4, 249
 HVAC (Heating, Ventilation, and Air-Conditioning)
 215–16, 218, 241, 247–9, 258n
 hydroelectric power 255
- illumination 17, 45, 89–93, 96–9, 102, 104–6, 109–11,
 113–14, 122, 124–5, 130, 134, 138–9, 141–2, 144–6,
 246
 illumination level 17, 89, 91–2, 97–9, 102, 106, 109,
 111, 113–14, 124, 138–9, 142, 144–6, 246
 Impact Insulation Class (IIC) 208
 incandescent lamps 128–30, 134
 individual control 21, 23
 infants 24
 inferential statistics 4
 insulation 24, 33, 36–7, 41, 50–1, 53, 55, 57–65, 67,
 74, 80–2, 109, 134, 165, 181–2, 190, 193, 196–213,
 215, 217, 219–21, 223–4, 237, 239, 243–5, 254, 257,
 258n
 International Electrotechnical Commission (IEC)
 159, 161–2, 164, 219
 International Institute for a Sustainable Built
 Environment (iisBE) 238, 258n
 International Standards Organization 159
 Internet 228, 232
 interview 16, 184
- joule 14, 126
- Lambert's Law 95, 104,
 lamp 91–2, 101–2, 104, 125, 127–37, 139, 142–3,
 145–6, 247, 258n
 landfill 229
 large sample 9, 12
 latent heat 36, 51, 73
 latitude 21, 31, 34, 42, 44, 76–7, 80
 laylight 146
 lecture hall 168, 188–9
 LEED (Leadership in Energy and Environmental
 Design) 239–42, 256, 258n
 legislation 196–7, 214
 life-cycle assessment (LCA) 236
 life-cycle costing (LCC) 236
 lifespan 129–30, 133, 135, 229–30, 233–4, 236, 248,
 255–7
 lifestyle 225, 228, 234
 light meter 16, 91, 112
 Light-Emitting Diode (LED) 135, 247, 258n
 lighting 1, 17, 19, 45, 50–1, 60, 87, 89, 90–1, 93, 95–9,
 101–2, 105–6, 109, 111, 113, 122–3, 125–7, 129–41,
 143, 145–6, 228, 241, 243, 246–7, 258n
 linear equations 1–2, 4
 low pressure sodium 132, 136
 low-E glass 40, 116, 122, 246, 258n
 Lumen Method of design 141
 luminaires 136–40, 142

270 Keyword Index

- luminance 90–3, 97, 102–3, 105, 107, 111–16, 120, 122–5, 136–7, 146
- luminous ceiling 139–40
- luminous intensity 13, 91–3, 104, 136–7
- luminous wall panels 140

- macro climate 243
- masking sound 178–84
- Mass Law 200–1, 213
- mastic 205, 232
- mean 1, 6–7, 10, 12, 26, 28, 75, 90, 104–5, 111, 123, 128, 147, 155, 221, 234, 257
- mean radiant temperature 26, 28
- mercury vapor 131–3, 136
- metabolism 20, 22–24
- metal-halide 129, 132–3, 137
- metamerism 108
- Metric system 13–14, 51, 104, 125, 149, 200, 253
- micro climate 244
- middle ear 157, 159
- mirror-box artificial sky 113–14
- mode 5, 55, 165, 253
- mold 253
- multi-leaf walls 205
- Multiple Chemical Sensitivity (MCS) 232
- Munsell Color Atlas 107
- music 147, 149, 154, 160, 166, 168–9, 173, 175–6, 178, 181, 184, 186, 188–91, 194, 196, 214
- music rooms 178, 181
- Musiksaal Basel (Switzerland) 189

- National Hospital London 28
- nausea 26, 159
- neon 135
- net energy producer 242, 244
- noise barriers 222
- Noise Criteria Curves 177–8
- Noise Reduction Coefficient 170, 174
- Normal Distribution Curve 6–7, 10–11, 106, 123, 128
- nuclear power 51, 255
- nystagmus 159

- objective data 16
- octave bands 154–5, 161, 177–8, 207–8
- odors 31, 252
- Odum 234
- off-gassing 232, 234
- offices 40, 177, 198, 219, 238
- operative temperature 29

- orientation 23, 33, 39, 41, 45–6, 54, 60, 77, 80, 82, 98, 125, 146, 159, 231, 244
- ORTNS 257
- outer ear 157

- panel absorbers 170–3
- passive solar systems 70, 79, 81–2
- perceptual constancy 98–9
- perspiration 17, 20, 22–3, 28, 32, 36, 45
- photoelectric effect 87, 104
- photons 87
- polarization 85–6
- pollution 50, 69, 105, 181, 225, 228, 233, 235, 241
- porous absorbers 170–3
- potable water 250–3
- Precision Sound-Level Meter 161, 164
- Predicted 4-Hour Sweat Rate (P4SR) 28–30
- presbycusis 157, 160
- PSALI (Permanent Supplementary Artificial Lighting of Interiors) 145–6, 246, 258n
- psychoacoustic effects 186
- psychrometric chart 27
- pumps 70, 172, 237, 252–3

- quality of life 196, 232–3, 250

- radiant cooling 249
- radiation 1, 17–18, 20, 22–3, 27, 29–32, 36–42, 45–6, 51–4, 57–8, 61–2, 68–74, 76, 80–2, 87, 89, 106, 112, 123, 127–30, 132–4, 231–2, 243–4
- rainbow 84, 88
- rainwater 250–3
- rate of work 26–7, 30
- reflected glare 101
- reflection 40, 45, 61, 71, 85, 94, 96, 115, 120, 136, 138, 141–4, 165–9, 175, 184, 187, 189–93, 199, 223
- refraction 85
- relative humidity 16, 30–1, 36, 73, 164, 185, 197, 214, 243, 249
- resonance 163, 171–5, 204, 206, 219, 220
- respiration 26
- reverberation time 174–5, 187–91, 194–5
- rock storage 73–4, 245
- roof 36–7, 40–1, 51–2, 58, 64–7, 70, 73, 78–82, 104–5, 113, 123–4, 174, 192, 213, 216, 229, 241, 244, 251–3

- schools 181, 183–4, 209
- seasons 41–2, 44
- sensible heat 51

- shading 23, 37–40, 45, 80, 102, 123, 188, 243
 shivering 17, 22, 24
 showerheads 251–2
 Sick Building Syndrome (SBS) 232
 Simple Harmonic Motion 147
 simultaneous equations 2–3
 single-leaf panels 200, 205
 sky 20, 54, 69, 82, 89, 93, 98, 100–1, 105–7, 109–20,
 122–4, 127–40, 145–46, 246, 258n
 sky conditions 110–11, 115, 122, 124, 140, 246
 small sample 4, 9–10
 sociocusis 158
 sol-air temperature 51, 58, 65–6, 68
 solar charts 41–2
 solar collector 17–18, 70–1, 73–7, 79, 81, 245,
 solar pond 17, 81–2
 solar radiation 20, 23, 29, 36–9, 41, 45–6, 51, 53–4,
 58, 61, 68–70, 72–4, 76, 80–2, 231, 243–4
 Solarscope 44
 solid-borne noise 208–9, 215–16
 solstice 41–2
 solvents 232
 sound intensity level (SIL) 150, 165
 Sound Level Meter 16, 161–5, 214
 sound pressure level (SPL) 150–1, 153, 156, 160,
 186, 195–6, 223
 Sound Transmission Class (STC) 207
 sources of noise 215
 space heating 51, 69–70, 75, 77, 79
 specific heat 49, 52, 59, 67, 73
 Speech Interference Level 160, 165, 175–8
 standard deviation 7–12, 123
 standard operative temperature 29
 steady-state heat-transfer 54–5
 Steeneken 177
 stormwater 250
 stratification 71, 73–4, 245
 stuffiness 16, 31
 sundial 44
 sunlight 43, 89, 93, 96–7, 105, 107, 122–3, 136
 sunrise 43, 64, 77, 82, 105
 sunset 43, 64, 77, 82, 105
 sunshading device 36
 sustainability 227, 233–40, 242, 247–8, 257
 Sydney Opera House (Australia) 192–4
 Symphony Hall Boston (US) 189
 Texas Engineering Experiment Station 46
 thermal acceptance ratio 29
 thermal capacity 55
 thermal insulation 33, 36–7, 41, 50–1, 53, 55, 57–9,
 61–5, 67, 74, 203, 224, 237, 243–5, 258n
 thermal resistance 34, 55–9, 74
 tristimulus 109
 Tropic of Capricorn 42
 tuning fork 199–200
 typhoid 25

 U-value 35, 55–6, 58–9, 65–6
 UIA (Union internationale des Architectes) 238
 US Agency for International Development (USAID)
 250
 US Environmental Protection Agency (USEPA) 232
 US Green Building Council (USGBC) 239–242
 US system of units 14–15

 valences 140
 vapor pressure 23, 64, 130, 132, 134
 variance 9, 20
 vasomotor control 21
 ventilation 23, 35, 38, 40–1, 45–9, 63, 65, 80–2, 114,
 180, 182, 190, 198, 202, 214–5, 218, 231–2, 241, 243,
 247–8
 visible spectrum 88–9, 106–7, 133
 visual field 90, 96–7, 99–100, 102, 109, 127, 159
 volume absorbers 170–1, 174

 waste management 228, 230, 234
 water storage 71, 73
 well water 252
 wet-bulb temperature 27, 29–30, 214
 wetland 258n
 wind 36–7, 40, 46, 48, 50–1, 65, 69, 169, 194, 197,
 222–4, 235, 243
 women 24–5
 World Business Council on Sustainable
 Development (WBCSD) 235
 World Health Organization 159, 196, 232, 250
 world population 225, 236

 zone of thermal comfort 21
 zone of thermal neutrality 24, 30
 zoning ordinances 159