

Index

- accuracy of estimates, 322
- adjoining owners' drains, 274
- aggregates, 101
- air and smoke test, 274
- air conditioning, 264
- aluminium, 170
- ancient buildings, 73
- anti-flood devices, 280
- architraves, 219
- arches and lintels, 83
- asbestos cement, 173
- asbestos cement slates, 175
- asphalt, 164
- assessment of cracks, 92
- autoclaved aerated concrete, 107–9

- basic survey methodology, 22–3
- baths, 243
- beetle attack, 139
- bidets, 244
- bitumen-impregnated tapes, 233
- bituminous felt and polymeric sheet roofing, 162
- blocks and slabs, 289
- boarded floors, 200
- boiler flues, 240
- boundary walls, fences and gates, 291
 - brick and stone, 293
- breach of duty, 321
- bridging of rendering, 124
- brief reports, 323
- builder's attendance, 29
- building on made up ground, 74
- building on sloping sites, 72
- building surveys, 1–3
 - built-in iron and steel members, 89
 - bulging and leaning walls, 76

 - Clean Air Act, 182
 - cast stone, 97
 - cavity walls, 87, 129
 - central heating, 240
 - cesspools/cesspits, 282
 - checklist for building surveys, 343–5
 - checklist for property and site surveys, 341–2
 - chemical action, 85
 - chimney stacks, 182, 190
 - chipboard flooring, 200
 - church bells and fittings, 63
 - church buildings, 61–2
 - church towers, 62
 - cladding materials, 109
 - clay floor tiles, 204
 - cold water supply, 232–3
 - common defects, 215, 241
 - concrete cladding defects, 110
 - concrete paving, 289
 - concrete tiles, 204
 - condensation, 132–4
 - causes, 132
 - condition appraisal, 9
 - condition survey, 2–3
 - contracts and fees, 17
 - copper, 166
 - cork tiles, 202
 - corrosion and cracking, 100
 - corrosive soils, 241
 - corrugated iron, 176
 - crack markers, 34–5
 - cupboard fittings, 220

- cupboard fittings, 230
- cut edge corrosion, 116
- damages, 322
- damp penetration, 119
- data capture, 28
- dating buildings, 25–8
- decent homes, 7
- defective materials, 85
- defective walls, 76
- defects at junctions, 85
- defects from natural causes, 149
- defects in stonework, 94
- deflection, 104
- description, 132
- desk top survey, 24
- diagnosis, 133
- differential movement, 67
- direct and indirect systems, 235
- disclaimers and limitation periods, 326
- domestic fireplaces, 183
- doors and windows, 217
- drainage channels, 282
- drainage defects, 271
- drainage systems, 265–98, 312
- dry rot, 135
- duckboards, 181
- due diligence, 13
- duty of care, 320
- effect of tree roots, 70
- effects of fire, 304–10
 - brickwork, 305
 - concrete structures, 306
 - flat roof coverings, 308
 - floors, 308
 - internal and external finishes, 308
 - pitched roof coverings, 307
 - preliminary investigation, 304
 - roof structure, 307
 - services, 309
 - steel beams, columns and roof trusses, 306
 - stonework, 306
 - timber, 307
- electrical installations, 155, 250–56
- electrolytic action, 104
 - between copper and zinc, 243
- examination of defects:
 - survey equipment, 33–40
- examination of pavings, 290
- expert witness, 16
- exterior paintwork, 228
- external measuring, 47
- external rendering, 222
- external works, 265–301
 - testing, 271
 - visual inspection, 271
- failure in arches and lintels, 83
- failures in bonding, 85
- fees and expenses, 17–18
- finishes and joinery, 209–31
- fire and flood damage, 302–13
- fire damage, 304–10
- fireplaces and flue entry, 182–93
- fireplaces, flues and chimney stacks, 182
- fitness standard, 6
- flexible paving, 289
- flood damage, 310–13
 - drainage systems, 312
 - finishes, 312
 - foundations, 311
 - ground floors, 311
 - pavings, 313
 - preliminary examination, 310
- floor coverings, 200–206
- floor screeds, 202
- flue entry, 183
- flue investigation, 187
- flues, 187–9
 - serving gas fires, 188
 - serving oil-fired boilers, 188
- foundation failures, 65–75
- frames, 278
- frost damage, 104
- frost failure, 87
- gas fires, 238
- gas installations, 256–87
- gas-fired boilers, 237
- gates, 297
- general effects of flooding, 311
- glazing and leaded lights, 230–31
- granolithic paving, 202

- graph paper, 41
- gravel and hoggins, 289
- ground floors
 - flooding, 311
 - rising damp, 124
- gulleys and grease traps, 279
- hand power hoists, 262
- hardwood strip flooring, 201
- heaped earth, 124
- hearths, 189
- heating installations, 235–43
- high alumina cement, 103
- home condition reports, 4–5
- homebuyer report, 4, 5
- hot water, 235
- hot water systems, 243–5
- housing health and
 - safety rating system, 8
- housing quality initiatives, 3–5
- illicit alterations, 32–3
- immersion heaters, 239
- inadequate foundations, 68
- indemnity insurance, 329
- industrial chimney shafts, 192
- inspection chambers, interceptors,
 - covers and frames, 275–8
- interior finishes, 227
- internal measuring, 43
- internal partitions, 124
- ironmongery, 220
- items to check, 239
- joinery, 217–22
- joint problems, 111
- lattice girders, 151
- lead, 167
- legal aspects, 319–30
- letters confirming instructions,
 - 19–21
- levelling, 51
- lift pit, 258
- lift shaft, 259
- lifts and hoists, 258–62
 - prevention of damage, 261
- lightning conductors, 314
- lightweight aggregates, 104
- lightweight and demountable
 - partitions, 216
- linoleum, 203
- machine room, 260
- magnesite flooring, 204
- marble in tile or slab form, 206
- mastic asphalt and
 - pitch mastic paving, 205
- materials, 85, 109, 243
- measurement of existing
 - buildings, 41–52
 - external measuring, 47
 - internal measuring, 43
 - roof space, 47
- medieval churches, 60
- metal ladders, 208
- metal lathing, 210
- metal profile sheeting, 114
- metal tiles, 206
- metallic fasteners, 113
- natural stone masonry, 92–3
- negligence defined, 319
- no-fines concrete housing, 105–7
- non-domestic condition
 - rating system, 8–9
- oil-fired boilers, 236
- old fireplaces, 189
- old plaster ceilings, 212
- old timber-framed buildings, 127
- older type roofs, 152
- outbuildings, 297, 310–11
- overloading, 68, 80
- ownership of fences and walls, 291
- painting and decorating, 226–9
 - exterior finishes, 228
 - historic buildings, 229
 - interior finishes, 227
 - metal surfaces, 229
- parapet walls, 129
- parties in tort, 323
- partitions, 90–91
- partitions above ground, 76
- party structures, 328
- party walls in roof space, 156, 158
- paving and carriageways, 288–91

- penetrating damp, 127–31
 - cavity walls, 129
 - extraneous causes, 131
 - locating, 127
 - parapet walls, 129
- personal competence, 16
- personal conduct, 16
- petrol interceptors, 281
- photographs, 309
- picture rails, 219
- plaster, 209–13
- plaster wall and ceiling defects, 211
- plasterboards and wallboards, 210
- pointing, 222, 225
- preliminary operations, 28
- preliminary survey operations, 28
- presentation of reports, 314–15
- problems with flues, 134
- procedure and equipment, 22–40
- professional competence, 17
- professional conduct, 16
- professional negligence, 324
- professional practice, 15
- property claims, 330
- property risks, 30
- pumping stations, 284
- purpose of the survey, 9
- PVC, 203

- reconnaissance survey, 24–5
- record surveys, 2
- refuse collection, 298
- regulation of electrical installation work, 256
- reinforced concrete, 100–107
- rendering, 222–5
 - defects, 223
- report writing, 314–18
 - criteria, 315
- retaining walls, 294
- reverse side corrosion, 116
- ridges, hips and valleys, 159
- ring circuits, 252
- rising damp, 121
 - basement walls and floors, 123
 - in ground floors, 124
 - in old timber-framed buildings, 127
 - solid walls, 121
 - stone walls, 123
- roof coverings, 156–83
- roof insulation, 155
- roof lights, 178
- roof space, 47
- roof structures, 143–56
- rubber flooring, 203
- rubber latex cement flooring, 205

- sample schedule of condition, 337
- sample schedule of dilapidations, 338
- sample stock condition
 - survey schedule, 336
- sanitary fittings, 243–6
- septic tanks, 284
- shallow foundations, 71
- sheet linings, 213–15
- sinks, 244
- skirtings, architraves and picture rails, 219
- slate, 206
- small service lifts, 262
- specialist fees, 29
- specialist reports, 28–9
- specialist surveys, 2
- spectrum of building
 - condition ratings, 10
- stair lifts, 262
- staircases, 207–8
- steel trusses, 151
- stone slates, 171
- storage heaters, 240
- structural steelwork, 118
- structural timber floor defects, 195–9
- surface water, 285
- surveying buildings, 324
- surveyor's responsibilities, 12
- surveys, 2–3
- suspended ground floors, 311

- taps, 244
- terrazzo, 202
- testing and inspecting installations, 252
- thatch, 176
- thermal and moisture movements, 81

- thermal expansion, 103
- thermoplastic, PVC and vinyl
 - asbestos tiles, 203
- tile and slate hanging, 89
- tiled roofs, 161
- tiles and setts, 289
- timber and metal fencing, 295,
 - 307–9
- timber decay and insect attack, 135
- timber flat roofs, 150
- timber floor defects, 195
- timber pitched roofs, 149
- timber upper floors, 194
- tolerable standard, 6
- translucent roofing sheets, 173
- trees, 301
- trespass, 328
- trimming joists, 198
- type of survey required, 324
- types of fencing and their defects, 295
- types of slate, 158
- unequal settlement, 69
- urinals, 245
- ventilation and air conditioning, 263–4
- vinyl asbestos tiles, 203
- wall finishes, 312
- wall mounted water heaters, 237
- wall tiling and fixing, 215–16
- walls above ground, 76–99
- wash basins and shower trays, 243
- waste and soil pipe installations, 246–50
- water closets and cisterns, 245
- water test, 272
- weatherboarding, 89
- wet rot, 138
- wiring systems, 251
- wood block, 201
- wood shingles, 178
- zinc, 169